

33-045 Andarta Dishwashing Powder

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 25/01/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Andarta Dishwasher Powder

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning/washing agents and additives Cleaning/washing agents and additives Function or use category

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Arrow House Longden Road Shrewsbury Shropshire SY3 9AE sales@arrowcounty.com 01743 283600

1.4. Emergency telephone number

: +44 (0) 151 832 3023 **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290

Acute toxicity (oral), Category 4 H302

Skin corrosion/irritation, Category 2 H315

Serious eye damage/eye irritation, Category 1 H318

Specific target organ toxicity — Single exposure, Category 3, Respiratory H335

tract irritation

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Harmful if swallowed. May cause respiratory irritation. Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains : Sodium Chloride, C9-11 alcohol ethoxylate with 6.5MEO, Sodium Percarbonate, Sodium

Metasilicate Pentahydrate, Tetrasodium ethylene diamine tetraacetate, Sulphuric acid,

mono-C12-18-alkyl esters, sodium salts

Hazard statements (CLP) : H290 - May be corrosive to metals.

H302 - Harmful if swallowed. H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P261 - Avoid breathing dust.

P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, eye protection. P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention.

EUH-statements : EUH208 - Contains amylase, alpha-(9000-90-2), Subtilisin(9014-01-1). May produce an

allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Chloride	CAS-No.: 7647-14-5 EC-No.: 231-598-3 REACH-no: 01-2119485491- 33	≥ 30 - < 40	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Sodium Carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-	≥ 20 - < 30	Eye Irrit. 2, H319
Tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762- 27	≥ 10 - < 20	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium Percarbonate	CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457268- 30	≥ 10 - < 20	Ox. Liq. 2, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium Metasilicate Pentahydrate	CAS-No.: 10213-79-3 EC-No.: 229-912-9 REACH-no: 01-2119449811- 37	≥1-<5	Met. Corr. 1, H290 Skin Corr. 1A, H314 STOT SE 3, H335
Trisodium Citrate Dihydrate	CAS-No.: 6132-04-3 EC-No.: 200-675-3 REACH-no: 01-2119457027- 40	≥1-<5	Eye Irrit. 2, H319

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulphuric acid, mono-C12-18-alkyl esters, sodium salts	CAS-No.: 68955-19-1 EC-No.: 273-257-1 REACH-no: 01-2119490225- 39	≥1-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
C9-11 alcohol ethoxylate with 6.5MEO	CAS-No.: 68439-46-3 REACH-no: Polymer - Reach Exempt	≥1-<5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Subtilisin	CAS-No.: 9014-01-1 EC-No.: 232-752-2 EC Index-No.: 647-012-00-8 REACH-no: 01-2119480434- 38	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
amylase, alpha-	CAS-No.: 9000-90-2 EC-No.: 232-565-6 EC Index-No.: 647-015-00-4 REACH-no: 01-2119938627- 26	≥ 0.1 – < 1	Resp. Sens. 1, H334

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact

with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original

container. Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Incompatible materials : Metals.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Colour : white.
Odour : odourless.

 Odour threshold
 :

 pH
 : ≈ 11

 pH solution
 : 10 g/l

 Relative evaporation rate (butylacetate=1)
 :

 Melting point
 :

 Freezing point
 :

 Boiling point
 :

Flash point : Not flammable

Auto-ignition temperature : Decomposition temperature : -

Flammability (solid, gas) : Non flammable.

Vapour pressure : -

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure at 50 °C : Relative vapour density at 20 °C : Relative density : Density : -

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : Viscosity, kinematic : Viscosity, dynamic : -

Explosive properties : Not explosive.

Oxidising properties : Not oxidising.

Explosive limits : -

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Dishwasher Powder Sachet	
ATE CLP (oral)	1818.182 mg/kg bodyweight
Sodium Chloride (7647-14-5)	
LD50 dermal rabbit	> 10000 mg/kg bodyweight Animal: rabbit
Sodium Carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA 16 CFR 1500.40
C9-11 alcohol ethoxylate with 6.5MEO (68439-	46-3)
LD50 oral rat	300 – 2000 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

amylase, alpha- (9000-90-2) LC50 Inhalation - Rat > 4.96 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Skin corrosion/irritation pH: ≈ 11 Serious eye damage/irritation causes serious eye damage. pH: ≈ 11 Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Carcinogenicity Reproductive toxicity STOT-single exposure May cause respiratory irritation.	9-11 alcohol ethoxylate with 6.5MEO (68439-	46-3)
LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA Guideline Subtilisin (9014-01-1) LD50 oral rat 1800 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxici 95% CL: 1200 - 2300) amylase, alpha- (9000-90-2) LC50 Inhalation - Rat > 4.96 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Skin corrosion/irritation : Causes skin irritation. ph!: ≈ 11 Serious eye damage/irritation : Causes serious eye damage. ph: ≈ 11 Respiratory or skin sensitisation Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure May cause respiratory irritation. May cause respiratory irritation.	D50 dermal rat	> 2000 mg/kg
Subtilisin (9014-01-1) LD50 oral rat 1800 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxici 95% CL: 1200 - 2300 amylase, alpha- (9000-90-2) LC50 Inhalation - Rat > 4.96 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Skin corrosion/irritation : Causes skin irritation. pH: ≈ 11 Serious eye damage/irritation : Causes serious eye damage. pH: ≈ 11 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Garcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure May cause respiratory irritation. May cause respiratory irritation.	odium Percarbonate (15630-89-4)	
LD50 oral rat 1800 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxici 95% CL: 1200 - 2300	D50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA Guideline
amylase, alpha- (9000-90-2) LC50 Inhalation - Rat > 4.96 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Skin corrosion/irritation : Causes skin irritation. pH: ≈ 11 Serious eye damage/irritation : Causes serious eye damage. pH: ≈ 11 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure May cause respiratory irritation. May cause respiratory irritation.	ubtilisin (9014-01-1)	
LC50 Inhalation - Rat > 4.96 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Skin corrosion/irritation : Causes skin irritation.	D50 oral rat	1800 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1200 - 2300
Skin corrosion/irritation : Causes skin irritation. pH: ≈ 11 Serious eye damage/irritation : Causes serious eye damage. pH: ≈ 11 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.	mylase, alpha- (9000-90-2)	
pH: ≈ 11 Serious eye damage/irritation : Causes serious eye damage. pH: ≈ 11 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.	C50 Inhalation - Rat	> 4.96 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
pH: ≈ 11 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.		
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.		
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.	1 ,	Not classified
Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.		
STOT-single exposure : May cause respiratory irritation. Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.		
Sodium Chloride (7647-14-5) STOT-single exposure May cause respiratory irritation.		
STOT-single exposure May cause respiratory irritation.	*OT-single exposure :	May cause respiratory irritation.
	odium Chloride (7647-14-5)	
	TOT-single exposure	May cause respiratory irritation.
Sodium Metasilicate Pentahydrate (10213-79-3)	odium Metasilicate Pentahydrate (10213-79-3	3)
STOT-single exposure May cause respiratory irritation.	TOT-single exposure	May cause respiratory irritation.
Subtilisin (9014-01-1)	ubtilisin (9014-01-1)	
STOT-single exposure May cause respiratory irritation.	TOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure : Not classified	OT-repeated exposure :	Not classified
Tetrasodium ethylene diamine tetraacetate (64-02-8)	etrasodium ethylene diamine tetraacetate (64	4-02-8)
LOAEC (inhalation, rat,dust/mist/fume, 90 days) 0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	OAEC (inhalation, rat,dust/mist/fume, 90 days)	
NOAEL (oral, rat, 90 days) ≥ 500 mg/kg bodyweight Animal: rat	OAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat
Subtilisin (9014-01-1)	ubtilisin (9014-01-1)	
NOAEL (oral, rat, 90 days) 360 – 891 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	OAEL (oral, rat, 90 days)	
Aspiration hazard : Not classified	piration hazard :	Not classified
Dishwasher Powder Sachet	ishwasher Powder Sachet	
Viscosity, kinematic -	iscosity, kinematic	-

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. : Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sodium Chloride (7647-14-5)	
LC50 - Fish [1]	5840 mg/l Test organisms (species): Lepomis macrochirus
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
Sodium Carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
Sodium Percarbonate (15630-89-4)	
EC50 - Crustacea [1]	4.9 mg/l Test organisms (species): Daphnia pulex
Tetrasodium ethylene diamine tetraacetate (64	4-02-8)
EC50 - Crustacea [1]	140 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 60 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '35 d'
Subtilisin (9014-01-1)	
LC50 - Fish [1]	14.6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	8.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.306 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	170 μg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.513 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1.48 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
amylase, alpha- (9000-90-2)	
EC50 - Crustacea [1]	2000 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	212 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

Dishwasher Powder Sachet	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Dishwasher Powder Sachet	
Partition coefficient n-octanol/water (Log Pow)	-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1759	UN 1759	UN 1759	UN 1759	UN 1759
14.2. UN proper shippin	g name			
CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate)	CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate)	Corrosive solid, n.o.s. (Tetrasodium ethylene diamine tetraacetate)	CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate)	CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate)
Transport document descr	iption			
UN 1759 CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate), 8, III, (E)	UN 1759 CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate), 8, III	UN 1759 Corrosive solid, n.o.s. (Tetrasodium ethylene diamine tetraacetate), 8, III	UN 1759 CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate), 8, III	UN 1759 CORROSIVE SOLID, N.O.S. (Tetrasodium ethylene diamine tetraacetate), 8, III
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group			,	
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (ADR) : 274
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAV, L4BN

Vehicle for tank carriage : AT Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7

Hazard identification number (Kemler No.) : 80

Orange plates :

80 1759

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG) : 223, 274

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1
Tank special provisions (IMDG) : T933
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y845 PCA limited quantity max net quantity (IATA) 5kg PCA packing instructions (IATA) : 860 PCA max net quantity (IATA) : 25kg : 864 CAO packing instructions (IATA) CAO max net quantity (IATA) : 100kg Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C10
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C10
Special provisions (RID) : 274
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (RID) : T1
Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, L4BN

Transport category (RID) : 3

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical Safety Assessment not required

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acr	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
EUH208	Contains amylase, alpha-(9000-90-2), Subtilisin(9014-01-1). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EU	H-statements:
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.