



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GREASE off QUICK & EASY 6x325 ml
Identification number : 64442

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe spray.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

P337 + P313

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Disposal:
P501

Only give completely emptied container to special waste disposer.

Safety data sheet available on request.

Labelling (Dosage: 12 %)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Decan-1-ol.ethoxylated	26183-52-8 Polymer	Eye Irrit.2; H319 Acute Tox.4; H302	>= 2 - < 5
1,3-Dioxolane-4-methanol, 2-methyl-2-(2- methylpropyl)	5660-53-7 01-2120039709-47- 0000	Eye Dam.1; H318	>= 2 - < 5
ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq.2; H225 Eye Irrit.2; H319	>= 1 - < 2
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic3; H412	>= 1 - < 2
1-Propanaminium, 3- amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	147170-44-3 931-296-8 01-2119488533-30	Eye Dam.1; H318 Aquatic Chronic3; H412	>= 1 - < 2

For explanation of abbreviations see section 16.



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
In case of contact, immediately flush skin with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products :

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralise with acid.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice required. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

**ethanol
64-17-5:**

: End Use: Workers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 1900 mg/m³

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 950 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 950 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 114 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 950 mg/m³

**Alcohols, C12-14, ethoxylated,
sulfates, sodium salts
68891-38-3:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Workers



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 175 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 52 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 147170-44-3: : End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 44 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

PNEC

ethanol 64-17-5: : Fresh water
Value: 0,96 mg/l

Marine water
Value: 0,79 mg/l

Fresh water sediment
Value: 3,6 mg/kg

Soil
Value: 0,63 mg/kg

STP
Value: 580 mg/l

intermittent release
Value: 2,75 mg/l



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:

: Fresh water
Value: 0,24 mg/l

Marine water
Value: 0,024 mg/l

Fresh water sediment
Value: 0,9168 mg/kg

Marine sediment
Value: 0,09168 mg/kg

Soil
Value: 7,5 mg/kg

STP
Value: 10000 mg/kg

intermittent release
Value: 0,071 mg/l

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 147170-44-3:

: Fresh water
Value: 0,0135 mg/l

Marine water
Value: 0,00135 mg/l

STP
Value: 3000 mg/l

Marine sediment
Value: 0,1 mg/kg

Soil
Value: 0,8 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.
Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Glove thickness : 0,4 mm

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter
Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

pH : 10,2

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Burning rate : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1,031 g/cm³

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: similar to water
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity	: Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method
Skin corrosion/irritation	: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
Serious eye damage/eye irritation	: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Respiratory or skin sensitisation : No data available

Further information : No data available

Components:

Decan-1-ol.ethoxylated 26183-52-8:

Skin corrosion/irritation : Result: No skin irritation

Serious eye damage/eye
irritation : Result: Eye irritation

1,3-Dioxolane-4-methanol, 2-methyl-2-(2-methylpropyl) 5660-53-7:

Acute oral toxicity : LD50 Mouse: > 2.000 mg/kg

ethanol

64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg
Method: OECD Test Guideline 401

LD50 Rat: 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 51 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg
Method: OECD Test Guideline 402

LD50 Dermal Rabbit: > 10.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404

Serious eye damage/eye
irritation : Species: Rabbit
Result: Mild eye irritation
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Mouse
Result: Does not cause skin sensitisation.
Method: see user defined free text



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: 5.200 mg/kg
Species: Rat
Application Route: Oral
NOAEL: 13.800 mg/kg
Species: Rat
Application Route: Inhalation
NOAEL: 30400 mg/m3
Repeated dose toxicity : Rat, male: NOAEL: > 20 mg/kg
Method: see user defined free text
Rat, female: NOAEL: 1.730 mg/kg
Method: see user defined free text

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral Rat: 4.100 mg/kg
Method: OECD Test Guideline 401
GLP: no
LD50 Oral Rat: 2.000 - 5.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text
LD50 Oral Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text
Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Skin corrosion/irritation : Species: Rabbit
Method: OECD Test Guideline 404
Serious eye damage/eye irritation : Species: Rabbit
Method: OECD Test Guideline 405
Test substance: see user defined free text
Species: Rabbit
Method: OECD Test Guideline 405
Test substance: see user defined free text



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Respiratory or skin sensitisation : Test Method: Maximisation Test (GPMT)
Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.
Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative
Method: OECD Test Guideline 471

Reproductive toxicity

: Species: Rat
Application Route: Oral
NOAEL: > 300 mg/kg,
F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity

: Species: Rat
Application Route: Oral
>1.000 mg/kg
> 1.000 mg/kg
Method: see user defined free text

Repeated dose toxicity

: Rat: NOAEL: > 225 mg/kg
Application Route: Oral
Exposure time: 90 Days
Method: see user defined free text
Target Organs: Liver

STOT - repeated exposure

: Exposure routes: Ingestion
Target Organs: Liver

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity : LD50 Oral : > 8.000 mg/kg
Method: OECD Test Guideline 401

LD50 Rat: 2.335 mg/kg

Acute dermal toxicity

: LD50 Rat: > 2.000 mg/kg

Reproductive toxicity

: Species: Rat
Application Route: Oral
NOAEL: 300 mg/kg

Teratogenicity

: Species: Rat
Application Route: Oral
1.000 mg/kg
100 mg/kg



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Method: see user defined free text

Repeated dose toxicity : Rat, male and female: NOAEL: 300 mg/kg

Application Route: Oral
Exposure time: 90 d
Method: see user defined free text

SECTION 12: Ecological information

12.1 Toxicity

Components:

Decan-1-ol,ethoxylated 26183-52-8:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 15 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : EC50 : 19,6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

1,3-Dioxolane-4-methanol, 2-methyl-2-(2-methylpropyl) 5660-53-7:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia similis (water flea)): 590,53 mg/l
Exposure time: 48 h

EC50 (Daphnia similis (water flea)): 617,8 mg/l
Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): 1.203,7 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 1.534,19 mg/l
Exposure time: 24 h

ethanol 64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l
Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l
Exposure time: 96 h

LC50 (Fish): 11.200 mg/l



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l
Exposure time: 48 h
EC50 : 5.012 mg/l
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l
Exposure time: 48 h
Test Type: Growth inhibition
Method: No information available.
EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l
Exposure time: 168 h
EC50 : 4.432 mg/l
EC10 : 11,5 mg/l
EC10 : 280 mg/l
- Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes
LC50 (Fish): > 1 - 10 mg/l
Test Type: semi-static test
Method: OECD Test Guideline 203
LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l
EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Method: OECD Test Guideline 201
GLP: yes

EC50 (*Scenedesmus subspicatus*): 10 - 100 mg/l
Method: OECD Test Guideline 201

EC50 (*Desmodesmus subspicatus* (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC : 0,95 mg/l
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (*Pseudomonas putida*): > 10 g/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test
Method: DIN 38412
GLP: yes

EC10 (*Pseudomonas putida*): > 10 g/l
Test Type: Cell multiplication inhibition test
GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l
NOEC: 1 - 10 mg/l
Species: *Leuciscus idus* (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 147170-44-3:

Toxicity to fish : LC50 (*Calamus penna*): 1,11 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

EC10 (Fish): 1,11 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 6,5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (*Daphnia magna* (Water flea)): 0,3 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 1,5 mg/l Exposure time: 72 h GLP: yes
Toxicity to bacteria	: EC0 (Bacteria): > 3.000 mg/l GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 0,135 mg/l Exposure time: 100 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 GLP: yes

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
------------------	---

Components:

ethanol

64-17-5:

Biodegradability	: Result: Readily biodegradable Biodegradation: 97 % Method: OECD Test Guideline 301
------------------	--

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability	: Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A
------------------	--

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Biodegradability	: Test Type: aerobic Concentration: 20 mg/l Result: rapidly biodegradable Biodegradation: 92 % Exposure time: 28 d Method: OECD 301 B
	Test Type: anaerobic Concentration: 102,4 mg/l



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Biodegradation: 80 - 90 %
Exposure time: 60 d
Method: see user defined free text
GLP: yes

Chemical Oxygen Demand (COD) : 1.000.000 mg/l

12.3 Bioaccumulative potential

Components:

1,3-Dioxolane-4-methanol, 2-methyl-2-(2-methylpropyl)

5660-53-7:

Partition coefficient: n-octanol/water : log Pow: 1,67

ethanol

64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

12.4 Mobility in soil

Components:

ethanol

64-17-5:

Distribution among environmental compartments : Koc: 1Remarks: Highly mobile in soils

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among environmental compartments : Adsorption/Soil Medium:Soil Koc: 191Method: see user defined free text

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Offer surplus and non-recyclable solutions to a licensed disposal company.
- Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
- Waste Code : European Waste Catalogue
200129
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.4 Packing group

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.5 Environmental hazards

ADR



GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

Not dangerous goods
Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ZEU_SEVES3

Not applicable

TA Luft List (Germany)

- : Total dust: Not applicable
- : Inorganic substances in powdered form: Not applicable
- : Inorganic substances in vapour or gaseous form: : portionClass 3: < 0,01 %
- : Organic Substances: : portionClass 1: < 0,01 %
- : Carcinogenic substances: : portionClass 2: < 0,01 %
- : Mutagenic: : < 0,01 %
- : Toxic to reproduction: Not applicable

according to Detergents
Regulation EC 648/2004

- : <5% Anionic surfactants, Amphoteric surfactants, Non-ionic surfactants, Perfumes

Diğer kurallar

- : 26 Aralık 2008 tarihli,27092 mükerrer sayılı," T.C. Çevre ve Orman Bakanlığı Tehlikeli Maddeler ve Müstahzarlara İlişkin Güvenlik Bilgi Formlarının Hazırlanması ve Dağıtılması Hakkında Yönetmeliği " ne uygun düzenlenmiştir.
26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması Ambalajlanması ve Etiketlenmesi Hakkında Yönetmelik hükümlerine göre hazırlanmıştır.

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further information

Classification procedure: H319 Calculation method



Werner & Mertz
Professional

GREASE off QUICK & EASY 6x325 ml

WM 0713684

Order number: 0713684

Version 1.3

Revision Date 07.04.2016

Print Date 18.04.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

50000004342