according to Regulation (EC) No. 1907/2006



# **MANUDISH ORIGINAL**

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MANUDISH ORIGINAL UFI : XE12-C0RV-600N-WP1G

Identification number : 61065

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

### 1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)6131-19240

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

according to Regulation (EC) No. 1907/2006



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention. **Disposal:** 

P501 Dispose of contents/ container to an approved

waste disposal plant.

Safety data sheet available on request.

### 2.3 Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

**Hazardous components** 

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 5 - < 10
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts	147170-44-3 931-333-8 01-2119489410-39	Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL > 4 - 10 % 2; H319 > 10 % 1; H318	>= 2,5 - < 3
D-Glucopyranose, oligomeric, C10- 16-alkyl glycosides	110615-47-9 01-2119489418-23	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL > 12 - 30 % 1; H318 1 - 12 % 2; H319	>= 1 - < 2

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

according to Regulation (EC) No. 1907/2006



## **MANUDISH ORIGINAL**

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section

8. Smoking, eating and drinking should be prohibited in the

application area. Dispose of rinse water in accordance with local and

national regulations.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Store in original container. Keep container tightly closed in a dry and

well-ventilated place. Store at room temperature in the original

container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

according to Regulation (EC) No. 1907/2006



MANUDISH ORIGINAL

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

Contains no substances with occupational exposure limit values.

**DNEL** 

Alcohols, C12-14, ethoxylated,

sulfates, sodium salts

68891-38-3:

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 2750 mg/kg bw/day

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 175 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 1650 mg/kg bw/day

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 52 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 15 mg/kg

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term local effects

Value: 0,132 mg/cm2

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term local effects

Value: 0,079 mg/cm2

1-Propanaminium, 3-amino-N-

(carboxymethyl)-N,Ndimethyl-, N-(C8-18 and C18unsatd. acyl) derivs.,

hydroxides, inner salts

147170-44-3:

: End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 44 mg/m3

End Use: Workers Exposure routes: Dermal

Potential health effects: Long-term systemic effects

Value: 12,5 mg/kg

End Use: Consumers Exposure routes: Oral

Potential health effects: Long-term systemic effects

Value: 7,5 mg/kg

End Use: Consumers Exposure routes: Dermal

Potential health effects: Long-term systemic effects

according to Regulation (EC) No. 1907/2006



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

Value: 7,5 mg/kg

D-Glucopyranose, oligomeric,

C10-16-alkyl glycosides

110615-47-9:

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 595000 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 420 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 357000 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 124 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 35,7 mg/kg

**PNEC** 

Alcohols, C12-14, ethoxylated,

sulfates, sodium salts

68891-38-3:

Fresh water

Value: 0,24 mg/l

Marine water

Value: 0,024 mg/l

STP

Value: 10000 mg/l

intermittent release Value: 0,071 mg/l

Fresh water sediment Value: 5,45 mg/kg

Marine sediment Value: 0,545 mg/kg

Soil

Value: 0,946 mg/kg dry weight (d.w.)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,Ndimethyl-, N-(C8-18 and C18unsatd. acyl) derivs., hydroxides, inner salts 147170-44-3: : Fresh water

Value: 0,0135 mg/l

Marine water

Value: 0,00135 mg/l

Fresh water sediment



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

Value: 1 mg/kg

Marine sediment Value: 0,1 mg/kg

STP

Value: 3000 mg/l

Soil

Value: 0,8 mg/kg

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

: Fresh water

Value: 0,176 mg/l

Marine water Value: 0,018 mg/l

Fresh water sediment Value: 1,516 mg/kg

Marine sediment Value: 0,065 mg/kg

Soil

Value: 0,654 mg/kg

STP

Value: 5000 mg/l

intermittent release Value: 0,0295 mg/l

### 8.2 Exposure controls

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4

mm).

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of

protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

according to Regulation (EC) No. 1907/2006



# **MANUDISH ORIGINAL**

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

ABEK-P3-filter

#### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : green
Odour : pleasant

Odour Threshold : No data available pH : ca. 5,2, 100 %

at20 °C

Melting point/range : No data available Boiling point/boiling range : No data available Flash point Not applicable Evaporation rate No data available Flammability (solid, gas) No data available No data available Flammability (liquids) No data available Burning rate Lower explosion limit No data available No data available Upper explosion limit Vapour pressure No data available Relative vapour density No data available Relative density No data available

Density : ca. 1,020 g/cm3 at 20  $^{\circ}$ C

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available
Thermal decomposition : No data available

Viscosity, dynamic : ca. 500 mPa.s at 20 °C

Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

according to Regulation (EC) No. 1907/2006



## MANUDISH ORIGINAL

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

### 9.2 Other information

none

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if

used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

## 10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known.

products

Other information : No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### **Product**

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: Causes serious eye irritation.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

according to Regulation (EC) No. 1907/2006



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

**Components:** 

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral Rat: 2.870 mg/kg

Method: OECD Test Guideline 401

LD50 Rat: 7.400 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation : Species: Rabbit

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

: Species: Rabbit

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative

Method: OECD Test Guideline 471

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: > 300 mg/kg,

F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity : Species: Rat

Application Route: Oral

>1.000 mg/kg > 1.000 mg/kg

Method: OECD Test Guideline 414

Repeated dose toxicity : NOAEL: 300 mg/kg

STOT - repeated exposure : Exposure routes: Ingestion

Target Organs: Liver

according to Regulation (EC) No. 1907/2006



# **MANUDISH ORIGINAL**

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity : LD50 Oral Rat: > 5.000 mg/kg

Method: OECD Test Guideline 401

LD50 Oral Rat: 2.335 mg/kg

LD50 Rat: > 2.000 mg/kg

Method: OECD Test Guideline 402

Acute dermal toxicity : LD50 Dermal Rat: > 2.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

Species: Rabbit

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig

Result: Not a skin sensitizer.

Method: OECD Test Guideline 406

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Acute oral toxicity : LD50 Oral : > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal : > 5.000 mg/kg

Method: OECD Test Guideline 402

## **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test

Method: OECD Test Guideline 203



MAN	UDISH	ORIG	SINAL
-----	-------	------	-------

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l

Exposure time: 28 d

Test Type: flow-through test

Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l

Test Type: flow-through test

Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l

Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211

(Daphnia magna (Water flea)): 7,2 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l

Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

EC50 (Scenedesmus subspicatus): 10 - 100 mg/l

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC: 0,95 mg/l

Test Type: Growth inhibition Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Pseudomonas putida): > 10 g/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Method: DIN 38412



MANUDISH ORIGINAL

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

GLP: yes

EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test

GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l

NOEC: 1 - 10 mg/l

Species: Leuciscus idus (Golden orfe)

NOEC: 0,14 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: > 0.1 - 1 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Toxicity to soil dwelling

organisms

NOEC: 750 mg/kg Exposure time: 96 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts

147170-44-3:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Brachydanio rerio): > 1 - 10 mg/l

Method: ISO 7346/2

NOEC (Oncorhynchus mykiss (rainbow trout)): > 0,1 - 1 mg/l

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): > 0,1 - 1 mg/l

Method: OECD Test Guideline 211

Toxicity to algae EC50 (Desmodesmus subspicatus (green algae)): > 1 - 10 mg/l

Method: OECD Test Guideline 201

Toxicity to bacteria : EC0 (Pseudomonas putida): > 100 mg/l

Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) NOEC: > 0,1 - 1 mg/l

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

Toxicity to daphnia and other

aquatic invertebrates (Chronic

: NOEC: > 0,1 - 1 mg/l

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 toxicity)

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides 110615-47-9:

according to Regulation (EC) No. 1907/2006



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

Toxicity to fish : LC50 (Fish): > 1 - 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 2,95 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia (water flea)): > 10 - 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 7 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 :> 10 - 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): 12,5 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria : EC0 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h Method: DIN 38412

Toxicity to fish (Chronic toxicity) : NOEC: > 1 mg/l

Exposure time: 28 d Species: Brachydanio rerio

Method: OECD Test Guideline 204

NOEC: 1,8 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

: NOEC: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: see user defined free text

EC10: 1,76 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

**Components:** 

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic

according to Regulation (EC) No. 1907/2006



**MANUDISH ORIGINAL** 

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A Test Type: anaerobic

Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs.,

hydroxides, inner salts

147170-44-3:

Biodegradability : Result: rapidly biodegradable

Method: OECD 301 D

Biochemical Oxygen Demand

(BOD)

: 365 mg/g

Method: see user defined free text

Chemical Oxygen Demand : 704 mg/g

(COD) Method: DIN 38409-H-41

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301

### 12.3 Bioaccumulative potential

#### Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Partition coefficient: n-

: log Pow: < -0,07 (20 °C)

octanol/water

### 12.4 Mobility in soil

#### Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among : Adsorption/Soil environmental compartments Medium:Soil

Koc: 191Method: see user defined free text

## 12.5 Results of PBT and vPvB assessment

### **Components:**

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT)..

according to Regulation (EC) No. 1907/2006



# **MANUDISH ORIGINAL**

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

#### 12.6 Other adverse effects

**Product:** 

Additional ecological information : There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

### **SECTION 14: Transport information**

#### 14.1 UN number

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

## 14.2 Proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

### 14.4 Packing group

ADR

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

## 14.5 Environmental hazards

ADR

Not dangerous goods

**IMDG** 

Not regulated as a dangerous good

**IATA** 

Not dangerous goods

## 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

according to Regulation (EC) No. 1907/2006



## MANUDISH ORIGINAL

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and

the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations

and articles (Annex XVII)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

: Inorganic substances in vapour or gaseous form: : portionClass 3:

: Not applicable

See Annex XVII to Regulation (EC) no

1907/2006 for Conditions of restriction

0,75 %

Organic Substances: Not applicable Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Not applicable

according to Detergents Regulation EC 648/2004 : 5 - <15% Anionic surfactants, <5% Amphoteric surfactants, Non-ionic

surfactants, SODIUM BENZOATE

GISBAU (D) : GU 30

### 15.2 Chemical safety assessment

There is no data available for this product.

### **SECTION 16: Other information**

## **Full text of H-Statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

### **Further information**

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: H319 On basis of test data.

according to Regulation (EC) No. 1907/2006



## **MANUDISH ORIGINAL**

WM 1113953 Order number: 0712575

Version 11.0 Revision Date 29.09.2021 Print Date 11.08.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000001564