

SAFETY DATA SHEET KR3 SAFETY FLOOR CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	KR3 SAFETY FLOOR CLEANER		
Internal identification	C408		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Cleaning agent.		
Uses advised against	Use only for intended applications.		
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	he safety data sheet		
Manufacturer	ARROW SOLUTIONS RAWDON ROAD MOIRA SWADLINCOTE DERBYSHIRE DE12 6DA TEL: +44 (0)1283 221044 FAX: +44 (0)1283 225731 sales@arrowchem.com		
1.4. Emergency telephone nur	nber		
Emergency telephone	+44 (0) 777 8505 330 (24 hrs). +44 (0) 1865 407333 (24 hrs). MEDICAL AND ENVIRONMENTAL EMERGENCIES ONLY.		
SECTION 2: Hazards identification	SECTION 2: Hazards identification		
2.1. Classification of the substa	ance or mixture		
Classification (EC 1272/2008)			
Physical hazards	Not Classified		
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318		
Environmental hazards	Not Classified		
Classification (67/548/EEC or 1999/45/EC)	Xi;R41.		
2.2. Label elements			
Pictogram			
Signal word	Danger		

Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P280 Wear protective gloves, eye and face protection. P501 Dispose of contents/ container in accordance with national regulations.
Contains	(C9-11) ALKYL ALCOHOL ETHOXYLATE
Detergent labelling	5 - < 15% non-ionic surfactants, < 5% amphoteric surfactants

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

(C9-11) ALKYL ALCOHOL ETHOXYL CAS number: 68439-45-2	ATE		5-10%
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318		ssification (67/548/EEC or 1999/45/EC) R22. Xi;R41.	
2-AMINOETHANOL			1-5%
CAS number: 141-43-5	EC number: 205-483-3	REACH registration number: 01- 2119486455-28	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335		ssification (67/548/EEC or 1999/45/EC) 34 Xn;R20/21/22	
COCO AMIDO PROPYL BETAINE			1-5%
CAS number: 61789-40-0	EC number: 931-296-8	REACH registration number: 01- 2119488533-30-xxxx	
Classification Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	Clas Xi;R	ssification (67/548/EEC or 1999/45/EC) 341.	
tetrasodium N,N-bis(carboxylatomethy	I)-L-glutamate		<1%
CAS number: 51981-21-6	EC number: 257-573-7	REACH registration number: 01- 2119493601-38-XXXX	
Classification Not Classified	Clas	ssification (67/548/EEC or 1999/45/EC)	

KR3 SAFETY FLOOR CLEANER

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measure)S			
4.1. Description of first aid me	asures			
General information	Show this Safety Data Sheet to the medical personnel.			
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.			
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.			
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if symptoms are severe or persist after washing.			
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.			
4.2. Most important symptoms	and effects, both acute and delayed			
Inhalation	Coughing, chest tightness, feeling of chest pressure.			
Ingestion	Gastrointestinal symptoms, including upset stomach.			
Skin contact	Causes skin irritation.			
Eye contact	Causes serious eye damage.			
4.3. Indication of any immedia	te medical attention and special treatment needed			
Notes for the doctor	Treat symptomatically.			
SECTION 5: Firefighting meas	sures			
5.1. Extinguishing media				
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.			
5.2. Special hazards arising fro	om the substance or mixture			
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous gases (NOx).			
5.3. Advice for firefighters				
Protective actions during firefighting	No specific firefighting precautions known.			
SECTION 6: Accidental release measures				
6.1. Personal precautions, pro	tective equipment and emergency procedures			
Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Do not touch or walk into spilled material. Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Avoid contact with contaminated tools and objects. Wash thoroughly after dealing with a spillage.			
6.2. Environmental precaution	<u>s</u>			
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.			

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.		
6.4. Reference to other section	uns		
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.		
SECTION 7: Handling and ste	orage		
7.1. Precautions for safe hand	dling		
Usage precautions	Wear protective gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Do not use in paint spraying equipment. Do not empty into drains. Wash hands thoroughly after handling.		
7.2. Conditions for safe storage	ge, including any incompatibilities		
Storage precautions	Store at temperatures between 4°C and 40°C.		
Storage class	Chemical storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Control	ols/personal protection		
8.1. Control parameters Occupational exposure limits 2-AMINOETHANOL			
Long-term exposure limit (8-hour TWA): WEL 1 ppm(Sk) 2.5 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 3 ppm(Sk) 7.6 mg/m3(Sk) Sk WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.			
Ingredient comments	WEL = Workplace Exposure Limits		
	2-AMINOETHANOL (CAS: 141-43-5)		
DNEL	Industry - Dermal; Long term systemic effects: 1 mg/kg/day Industry - Inhalation; Long term systemic effects: 3.3 mg/kg/day Industry - Inhalation; Long term local effects: 3.3 mg/kg/day Consumer - Dermal; Long term systemic effects: 0.24 mg/kg/day Consumer - Inhalation; Long term systemic effects: 2 mg/kg/day Consumer - Inhalation; Long term local effects: 2 mg/kg/day Consumer - Oral; Long term systemic effects: 3.75 mg/kg/day		
PNEC	 Fresh water; 0.085 mg/l Marine water; 0.0085 mg/l Intermittent release; 0.025 mg/l Sediment (Freshwater); 0.425 mg/kg Sediment (Marinewater); 0.0425 mg/kg Soil: 0.035 mg/kg 		

- Soil; 0.035 mg/kg
- STP; 100 mg/l

COCO AMIDO PROPYL BETAINE (CAS: 61789-40-0)

PNEC - Fresh water; 0.0135 mg/l		
- STP; 300 mg/l - Soil; 0.8 mg/kg - Sediment (Marinewater); 0.1 mg/kg - Sediment (Freshwater); 1 mg/kg - Marine water; 0.00135 mg/l		
tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate (CAS: 51981-21-6)		
DNELWorkers - Inhalation; Long term systemic effects: 7.3 mg/m³Workers - Dermal; Long term systemic effects: 15,000 mg/kg/dayGeneral population - Inhalation; Long term systemic effects: 1.8 mg/m³General population - Dermal; Long term systemic effects: 7,500 mg/kg/dayGeneral population - Oral; Long term systemic effects: 1.5 mg/kg/day		
8.2. Exposure controls		
Protective equipment		
Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indice eye contact is possible. The following protection should be worn: Chemical splash goggle Personal protective equipment for eye and face protection should comply with European Standard EN166.		
a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, glov should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may different for different glove manufacturers. When used with mixtures, the protection time gloves cannot be accurately estimated. For exposure up to 4 hours, wear gloves made of following material: Nitrile rubber. Thickness: > 0.28 mm Neoprene. Thickness: > 0.46 mm Rubber (natural, latex). Thickness: > 0.48 mm Considering the data specified by the glov	chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. For exposure up to 4 hours, wear gloves made of the following material: Nitrile rubber. Thickness: > 0.28 mm Neoprene. Thickness: > 0.46 mm Rubber (natural, latex). Thickness: > 0.48 mm Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and	
Hygiene measures Wash hands thoroughly after handling. Take off immediately all contaminated clothing ar wash it before reuse.	d	

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Red.	
Odour	Detergent.	
рН	pH (concentrated solution): 10.9	

Relative density	1.02 @ 25°C	
Solubility(ies)	Soluble in water.	
9.2. Other information		
Other information	Not determined.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not determined.	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous gases (NOx).	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
Acute toxicity - oral		
ATE oral (mg/kg)	9,761.75	
Acute toxicity - dermal ATE dermal (mg/kg)	41,163.04	
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	411.63	
Skin corrosion/irritation Extreme pH	Moderate pH (> 2 and < 11.5).	
Inhalation	Coughing, chest tightness, feeling of chest pressure.	
Ingestion	Gastrointestinal symptoms, including upset stomach.	
Skin contact		
	Causes skin irritation.	
Eye contact	Causes skin irritation. Causes serious eye damage.	
Eye contact Toxicological information on in	Causes serious eye damage.	

(C9-11) ALKYL ALCOHOL ETHOXYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	1,200.0	
Species	Rat	
Notes (oral LD₅₀)		
ATE oral (mg/kg)	1,200.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.1	
Species	Rat	
ATE dermal (mg/kg)	2,000.1	
		2-AMINOETHANOL
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,089.0	
Species	Rat	
ATE oral (mg/kg)	1,089.0	
Acute toxicity - inhalation		
ATE inhalation (vapours mg/l)	11.0	
		COCO AMIDO PROPYL BETAINE
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0	
Species	Rat	
	tetrasoc	lium N,N-bis(carboxylatomethyl)-L-glutamate
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	2,001.0	
Species	Rat	
ATE oral (mg/kg)	2,001.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.1	
Species	Rat	
ATE dermal (mg/kg)	2,000.1	
2. Ecological Information		

SECTION 12: Ecological Information

Not regarded as dangerous for the environment.

KR3 SAFETY FLOOR CLEANER

12.1. Toxicity Acute aquatic toxicity Acute toxicity - fish

Not determined.

Ecological information on ingredients.

2-AMINOETHANOL

Acute aquatic to	kicity	
Acute toxicity - fi	sh	LC50, 96 hours: 349 mg/l, Cyprinus carpio (Common carp) LC50, 96 hours: 170 mg/l, Carassius auratus (Goldfish)
Acute toxicity - a invertebrates	quatic	EC₅₀, 48 hours: 65 mg/l, Daphnia magna
Acute toxicity - a plants	quatic	EC₅₀, 72 hours: 2.5 mg/l, Selenastrum capricornutum EC₅₀, 72 hours: 22 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms		EC20, 30 minutes: > 1000 mg/l, Activated sludge EC₅₀, 3 hours <: 1000 mg/l, Activated sludge
Chronic aquatic	toxicity	
Chronic toxicity - invertebrates	aquatic	NOEC, 21 days: 0.85 mg/l, Daphnia magna
		COCO AMIDO PROPYL BETAINE
Acute aquatic to	kicity	
Acute toxicity - fi	sh	LC50, 96 hours: 1.11 mg/l, Pimephales promelas (Fat-head Minnow) LC50, 96 hours: 1.1 mg/l, Cyprinodon variegatus (Sheepshead minnow)
Acute toxicity - a invertebrates	quatic	EC₅₀, 48 hours: 1.9 mg/l, Freshwater invertebrates EC₅₀, ∶ 0.3 mg/l, Freshwater invertebrates EC₅₀, 48 hours: 21.5 mg/l mg/l, Daphnia magna
Acute toxicity - a plants	quatic	EC₅₀, 48 hours: 30.0 mg/l, Marinewater algae
		tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate
Acute aquatic to	kicity	
Acute toxicity - fi		LC50, 96 hours: > 100 mg/l, Onchorhynchus mykiss (Rainbow trout)
Acute toxicity - a invertebrates	quatic	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna
12.2. Persistence and degrad	ability	
Persistence and degradability	The proc	duct is expected to be biodegradable.
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential The product does not contain any substances expected to be bioaccumulati		duct does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil		
Mobility	The proc	duct is soluble in water.
12.5. Results of PBT and vPv	B assessm	nent
		duct does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects Other adverse effects Not determined. SECTION 13: Disposal considerations 13.1. Waste treatment methods **Disposal methods** Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. **SECTION 14: Transport information** General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Special Provisions note 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(es) Transport labels No transport warning sign required. 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous substance/marine pollutant No. 14.6. Special precautions for user Not applicable. 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture N 1.10

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information		
Abbreviations and acronyms used in the safety data sheet	 ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative. EC₅₀: 50% of maximal Effective Concentration. NOEC: No Observed Effect Concentration. UN: United Nations. 	
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.	
Revision date	27/03/2017	
Revision	4.0	
Supersedes date	04/11/2014	
SDS number	24498	
Risk phrases in full	Not classified. R20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R37 Irritating to respiratory system. R41 Risk of serious damage to eyes.	
Hazard statements in full	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. 	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.