

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

		Revision. 10.04.2020
SECTION 1: Identific	ation of the substance/mixture and of the company/undertaking	
1.1 Product identifier	r	
Trade name: HAND O	3EL 70%	
<ul> <li>Sector of Use Cleaning</li> <li>Product category PC</li> </ul>	ed uses of the substance or mixture and uses advised against	cts)
Manufacturer/Supplie	oplier of the safety data sheet er: Rd, Shrewsbury SY3 9AE	
	obtainable from: Product safety department. hone number: 01743 283600	
SECTION 2: Hazards	identification	
	the substance or mixture ding to Regulation (EC) No 1272/2008 me	
Flam. Liq. 2 H225 Hig	ghly flammable liquid and vapour.	
•	auses serious eye irritation. ay cause drowsiness or dizziness.	
	to Regulation (EC) No 1272/2008 ed and labelled according to the CLP regulation.	
GHS02 GHS07		
<ul> <li>Signal word Danger</li> </ul>		
<ul> <li>Hazard-determining of propan-2-ol</li> <li>Hazard statements H225 Highly flammabl H319 Causes serious H336 May cause drow</li> <li>Precautionary staten</li> </ul>	eye irritation. /siness or dizziness. <b>nents</b> nedical advice is needed, have product container or label at hand.	
P101 If m P102 Kee	ep out of reach of children. ad label before use.	



Page 2/7

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

(Contd. of page 1)

50-100%

Trade name: HAND GEL 70%

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 propan-2-ol EINECS: 200-661-7 Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.2 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.3 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

Trade name: HAND GEL 70%

(Contd. of page 2)

Page 3/7

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
 General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes.

Respiratory protection:

In case of intensive or longer exposure use self-contained respiratory protective device.

#### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- **General Information**

Appearance: Form:

Gel

(Contd. on page 4) GB



Page 4/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

#### Trade name: HAND GEL 70%

	(Contd. of page 3)
Colour: · Odour: · Odour threshold:	Clear Alcohol-like Not determined.
· pH-value at 20 °C:	7
<ul> <li>Change in condition</li> <li>Melting point/freezing point: Initial boiling point and boiling range</li> </ul>	Undetermined. :: 82 °C
· Flash point:	13 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits: Lower: Upper:	2 Vol % 12 Vol %
· Vapour pressure at 20 °C:	43 hPa
· Density at 20 °C: · Relative density · Vapour density · Evaporation rate	0.84453 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: Water:</li> </ul>	70.0 % 29.2 %
Solids content: • 9.2 Other information	0.8 % No further relevant information available.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

• 11.1 Information on toxicological effects
 • Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 67-63-0 propan-2-ol Oral LD50

5,045 mg/kg (rat) Dermal LD50 12,800 mg/kg (rabbit)

> (Contd. on page 5) ĠВ



Page 5/7

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

(Contd. of page 4)

ĠВ

Trade name: HAND GEL 70%

Inhalative LC50/4 h 30 mg/l (rat)

LC50/96 h 9.640-10.400 mg/l (fish)

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

EC50/48 h 2,285-13,299 mg/l (daphnia)

12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.

· Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information · 14.1 UN-Number · ADR, IMDG, IATA UN1219 · 14.2 UN proper shipping name · ADR 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) mixture · IMDG, IATA ISOPROPANOL (ISOPROPYL ALCOHOL) mixture (Contd. on page 6)



Page 6/7

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

Trade name: HAND GEL 70%

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	33
EMS NUMBER: Stowage Category	F-E,S-D B
14.7 Transport in bulk according to Annex II of Ma	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L Code: E2
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) MIXTURE, II

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Department issuing SDS: Product safety department.

(Contd. on page 7)

GB



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2020

Version number 4

Revision: 16.04.2020

Trade name: HAND GEL 70%

 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 6)

Page 7/7

GB