

e/mixture and of the company/undertaking DISH ORIGINAL YOV0-500Q-TV4P r mixture and uses advised against ng agent cted to professional users. eet Chemie GmbH allee 96 Mainz
DISH ORIGINAL YOVO-500Q-TV4P r mixture and uses advised against ng agent cted to professional users. eet Chemie GmbH allee 96
r mixture and uses advised against ng agent cted to professional users. eet Chemie GmbH allee 96
r mixture and uses advised against ng agent cted to professional users. eet Chemie GmbH allee 96
r mixture and uses advised against ng agent cted to professional users. eet Chemie GmbH allee 96
ng agent cted to professional users. eet Chemie GmbH allee 96
cted to professional users. eet Chemie GmbH allee 96
eet Chemie GmbH allee 96
Chemie GmbH allee 96
allee 96
3196403 319642414 <tsicherheit@werner-mertz.com ct development / product safety</tsicherheit@werner-mertz.com
I. (01) 2348 342
2/2008) H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms) No :	1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	P102 Prevention: P280 Response:	Keep out of reach of children. Wear protective gloves/ eye protection.



WM 0713966	Order numbe	er: 0712577	
Version 8.0	Revision Date	Revision Date 02.03.2022 Print D	
	P305 + P351 + P P337 + P313 Disposal: P501	 338 IF IN EYES: Rinse cau several minutes. Remo present and easy to do If eye irritation persists attention. Dispose of contents/ c waste disposal plant. 	ove contact lenses, if b. Continue rinsing.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Registration number 68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 5 - < 10
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- (C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts	147170-44-3 931-333-8 01-2119489410-39	Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL > 4 - 10 % 2; H319 > 10 % 1; H318	>= 2,5 - < 3
D-Glucopyranose, oligomeric, C10- 16-alkyl glycosides	110615-47-9 01-2119489418-23	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL > 12 - 30 % 1; H318 1 - 12 % 2; H319	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



WM 0713966		Order number: 0712577		
Version 8.0		Revision Date 02.03.2022	Print Date 21.07.2022	
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in atte	endance.	
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.		
In case of skin contact	:	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.	
In case of eye contact	:	Protect unharmed eye. If easy to do, remove contact lens, if worn. Rinse immediately with plenty of water, also und least 15 minutes. If eye irritation persists, consult a specialist.	der the eyelids, for at	
If swallowed	:	Clean mouth with water and drink afterwards ple Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou Obtain medical attention.	-	
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	:	Irritation		
Risks	:	No information available.		
4.3 Indication of any immediate med	ica	l attention and special treatment needed		
Treatment	:	For specialist advice physicians should contact Information Service.	the Poisons	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2 Special hazards arising from the s	suk	ostance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment firefighters	for : In the event of fire, wear self-contained breathing apparatus.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



MANUDISH ORIGINAL		
WM 0713966	Order number: 0712577	
Version 8.0	Revision Date 02.03.2022	Print Date 21.07.2022
SECTION 6: Accidental release r	neasures	
6.1 Personal precautions, protective	e equipment and emergency procedures	
Personal precautions	: Use personal protective equipment. Ensure adequate ventilation.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanitar	y sewer system.
6.3 Methods and materials for conta	inment and cleaning up	
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 	
6.4 Reference to other sections		
	on 8., Treat recovered material as described in 15 for specific national regulation.	the section "Disposal
SECTION 7: Handling and storage	ge	
7.1 Precautions for safe handling		
Advice on safe handling	 Avoid contact with skin and eyes. For per 8. Smoking, eating and drinking should b application area. Dispose of rinse water i national regulations. 	e prohibited in the
Advice on protection against fire and explosion	: Normal measures for preventive fire prote	ection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

7.2 Conditions for safe storage, including any incompatibilities

	uirements for storage areas containers	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.
Othe	er data	:	No decomposition if stored and applied as directed.
7.3 Speci	fic end use(s)		
Spee	cific use(s)	:	Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.



WM 0713966	Order number: 0712577	
Version 8.0	Revision Date 02.03.2022	Print Date 21.07.2022
8.2 Exposure controls		
Personal protective equipmen		
Eye protection :	If splashes are likely to occur, wear:	
	Tightly fitting safety goggles	
Hand protection		
Material :	For prolonged or repeated contact u	se protective gloves.
	It is suggested the usage of chemical of butyl rubber or nitrile rubber cate 374-1: 2003 (0,4 mm).	-
	As alternative, a different type of glo accordingly to the recommendations guarantee the same level of protections	s of the producer,
Remarks :	Take note of the information given b concerning permeability and break th special workplace conditions (mecha contact).	hrough times, and of
Skin and body protection :	not required under normal use	
Respiratory protection :	Not required; except in case of aeros	ol formation.
	Recommended Filter type:	
	ABEK-P3-filter	



WM 0713966

Order number: 0712577

Version 8.0

Revision Date 02.03.2022

Print Date 21.07.2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid	
Colour	: green	
Odour	: neutral	
Odour Threshold	: No data availabl	е
рН	: ca. 5,2, 100 % at 20 °C	
Melting point/range	: No data availabl	e
Boiling point/boiling range	: No data availabl	е
Flash point	: Not applicable	
Evaporation rate	: No data availabl	е
Flammability (solid, gas)	: No data availabl	е
Flammability (liquids)	: No data availabl	е
Burning rate	: No data availabl	е
Lower explosion limit	: No data availabl	е
Upper explosion limit	: No data availabl	е
Vapour pressure	: No data availabl	е
Relative vapour density	: No data availabl	е
Relative density	: No data availabl	е
Density	: ca. 1,020 g/cm3	
Water solubility	: soluble	
Solubility in other solvents	: No data availabl	е
Partition coefficient: n- octanol/water	: No data availabl	e
Ignition temperature	: No data availabl	е
Thermal decomposition	: No data availabl	е
Viscosity, dynamic	: ca. 500 mPa.s a	t 20 °C
Viscosity, kinematic	: No data availabl	е
Explosive properties	: No data availabl	е
Oxidizing properties	: No data availabl	е

9.2 Other information

none



WM 0713966

Order number: 0712577

Version 8.0	Revision Date 02.03.2022	Print Date 21.07.2022
SECTION 10: Stability and rea	ctivity	
10.1 Reactivity		
Stable under recommended st	orage conditions., No dangerous reaction known u	nder conditions of normal use.
10.2 Chemical stability		
No decomposition if stored an	d applied as directed.	
10.3 Possibility of hazardous read	ctions	
Hazardous reactions	: Stable under recommended storage condi used as directed.	tions., No decomposition if
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition p	roducts	
Hazardous decomposition products	: No hazardous decomposition products are	known.
Other information	: No hazardous decomposition products are	known.

11.1 Information on toxicological effects

Our company is strongly against animal testing. Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Product

Skin corrosion/irritation	:	According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
Serious eye damage/eye irritation	:	Causes serious eye irritation.
Respiratory or skin sensitisation	:	No data available
Germ cell mutagenicity	:	Not Rated
Carcinogenicity	:	Not Rated
Reproductive toxicity	:	Not Rated
STOT - single exposure	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	:	The substance or mixture is not classified as specific target organ



0713966	Order number: 0712577	
sion 8.0	Revision Date 02.03.2022	Print Date 21.07.202
	toxicant, repeated exposure.	
Aspiration toxicity	: Not Rated	
Further information	: No data available	
<u>Components:</u> Alcohols, C12-14, ethoxylated, s 68891-38-3:	sulfates, sodium salts	
Acute oral toxicity	: LD50 Oral Rat: 2.870 mg/kg Method: OECD Test Guideline 401	
	LD50 Rat: 7.400 mg/kg Method: OECD Test Guideline 401	
Acute dermal toxicity	: LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes	
Skin corrosion/irritation	: Species: Rabbit Method: OECD Test Guideline 404	
Serious eye damage/eye irritation	: Species: Rabbit Method: OECD Test Guideline 405	
Respiratory or skin sensitisation	: Result: Does not cause skin sensitisatio	n.
Germ cell mutagenicity		
Genotoxicity in vitro	: Result: negative Method: OECD Test Guideline 471	
Reproductive toxicity	: Species: Rat Application Route: Oral NOAEL: > 300 mg/kg, F1: > 300 mg/kg, Method: OECD Test G	Guideline 416
Teratogenicity	: Species: Rat Application Route: Oral >1.000 mg/kg > 1.000 mg/kg Method: OECD Test Guideline 414	
Repeated dose toxicity	: NOAEL: 300 mg/kg	
STOT - repeated exposure	: Exposure routes: Ingestion Target Organs: Liver	

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., hydroxides, inner salts



0713966	Order number: 0712577	
sion 8.0	Revision Date 02.03.2022	Print Date 21.07.202
147170-44-3: Acute oral toxicity	: LD50 Oral Rat: > 5.000 mg/kg Method: OECD Test Guideline 401	
	LD50 Oral Rat: 2.335 mg/kg	
	LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402	
Acute dermal toxicity	: LD50 Dermal Rat: > 2.000 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation	: Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404	
Serious eye damage/eye irritation	: Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405	
Respiratory or skin sensitisation	: Species: Guinea pig Result: Not a skin sensitizer. Method: OECD Test Guideline 406	
D-Glucopyranose, oligomeric, C 110615-47-9:	10-16-alkyl glycosides	
Acute oral toxicity	: LD50 Oral : > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal : > 5.000 mg/kg Method: OECD Test Guideline 402	

SECTION 12: Ecological information

12.1 Toxicity

<u>Components:</u> Alcohols, C12-14, ethoxy 68891-38-3:	lated, sulfates, sodium salts
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
	LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test Method: OECD Test Guideline 203
	LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203
1	NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



0713966	Order number: 0712577	
sion 8.0	Revision Date 02.03.2022	Print Date 21.07.202
	Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204	
	LC50 (Brachydanio rerio (zebrafish)): 1 - 1 Test Type: flow-through test Method: OECD Test Guideline 203	10 mg/l
	LC50 (Brachydanio rerio (zebrafish)): 7,1 Exposure time: 96 h	mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 7,4 m Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202	g/l
	EC50 (Daphnia magna (Water flea)): > 1 - Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	- 10 mg/l
	NOEC (Daphnia magna (Water flea)): 0,2 Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211	7 mg/l
	(Daphnia magna (Water flea)): 7,2 mg/l Exposure time: 48 h	
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes	algae)): 27,7 mg/l
	EC50 (Scenedesmus subspicatus): 10 - 1 Method: OECD Test Guideline 201	00 mg/l
	EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	algae)): > 10 - 100 mg/l
	NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201	
	NOEC (Desmodesmus subspicatus (green Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	n algae)): 0,93 mg/l
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition tes Method: DIN 38412 GLP: yes	st
	EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition tes	st



ion 8 0	Revision Data 02.02.2022	Print Data 21.07
ion 8.0	Revision Date 02.03.2022	Print Date 21.07.2
	GLP:	
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l	
	NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden c	orfe)
	NOEC: 0,14 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (ra Method: OECD Test Guideline 204	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water fl Method: OECD Test Guideline 21	
Toxicity to soil dwelling organisms	: NOEC: 750 mg/kg Exposure time: 96 d Species: Eisenia fetida (earthworn Method: OECD Test Guideline 222	
1-Propanaminium, 3-amino-N-(c hydroxides, inner salts 147170-44-3:	arboxymethyl)-N,N-dimethyl-, N-(C8	-18 and C18-unsatd. acyl) derivs.
Toxicity to fish	: LC50 (Pimephales promelas (fathe Exposure time: 96 h Method: OECD Test Guideline 203	
	LC50 (Brachydanio rerio): > 1 - 10 Method: ISO 7346/2	mg/l
	NOEC (Oncorhynchus mykiss (rai	nbow trout)): > 0,1 - 1 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea Method: OECD Test Guideline 202	
	NOEC (Daphnia magna (Water fle Method: OECD Test Guideline 21	
Toxicity to algae	: EC50 (Desmodesmus subspicatus Method: OECD Test Guideline 20	
Toxicity to bacteria	: EC0 (Pseudomonas putida): > 100 Method: OECD Test Guideline 209	
Toxicity to fish (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Species: Oncorhynchus mykiss (ra Method: OECD Test Guideline 210	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Species: Daphnia magna (Water fl Method: OECD Test Guideline 21	
D-Glucopyranose, oligomeric, C 110615-47-9:	10-16-alkyl glycosides	
Toxicity to fish	: LC50 (Fish): > 1 - 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	3



1 0713966	Order number: 0712577	
sion 8.0	Revision Date 02.03.2022	Print Date 21.07.2022
	LC50 (Brachydanio rerio (zebrafish)): 2,95 Exposure time: 96 h Method: OECD Test Guideline 203	mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): > 10 - 100 m Exposure time: 48 h Method: OECD Test Guideline 202	g/l
	EC50 (Daphnia magna (Water flea)): 7 mg Exposure time: 48 h	ŋ/l
Toxicity to algae	: EC50 : > 10 - 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
	EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Method: OECD Test Guideline 201	algae)): 12,5 mg/l
Toxicity to bacteria	: EC0 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Method: DIN 38412	
Toxicity to fish (Chronic toxicity)	: NOEC: > 1 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204	
	NOEC: 1,8 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: see user defined free text	
	EC10: 1,76 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202	
I 2 Persistence and degradability		
Product:		
Biodegradability	: Remarks: The surfactant(s) contained in th (comply) with the biodegradability criteria a (EC) No. 648/2004 on detergents.	
<u>Components:</u> Alcohols, C12-14, ethoxylated, s	ulfates, sodium salts	
68891-38-3:		
Biodegradability	: Test Type: aerobic Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A	



WM 0713966	Order number: 0712577	
		Drint Data 24 07 2020
/ersion 8.0	Revision Date 02.03.2022	Print Date 21.07.2022
	Test Type: anaerobic Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d	
l 1-Propanaminium, 3-amino-N-(o hydroxides, inner salts 147170-44-3:	arboxymethyl)-N,N-dimethyl-, N-(C8-18 ar	nd C18-unsatd. acyl) derivs.,
Biodegradability	: Result: rapidly biodegradable Method: OECD 301 D	
Biochemical Oxygen Demand (BOD)	: 365 mg/g Method: see user defined free text	
Chemical Oxygen Demand (COD)	: 704 mg/g Method: DIN 38409-H-41	
 D-Glucopyranose, oligomeric, C 110615-47-9:	10-16-alkyl glycosides	
Biodegradability	: Result: rapidly biodegradable Method: OECD Test Guideline 301	
2.3 Bioaccumulative potential		
Components:		
Alcohols, C12-14, ethoxylated, s	sulfates, sodium salts	
Bioaccumulation	: Remarks: Bioaccumulation is unlikely.	
 D-Glucopyranose, oligomeric, C 110615-47-9:	10-16-alkyl glycosides	
Partition coefficient: n- octanol/water	: log Pow: < -0,07 (20 °C)	
I 2.4 Mobility in soil		
Components:		
Alcohols, C12-14, ethoxylated, s 68891-38-3:	sulfates, sodium salts	
Distribution among environmental compartments	: Adsorption/Soil Medium:Soil Koc: 191Method: Calculation method	
I 2.5 Results of PBT and vPvB asses	sment	
Components:		
Alcohols, C12-14, ethoxylated, s 68891-38-3:	sulfates, sodium salts	
Assessment	: This substance is not considered to be v bioaccumulating (vPvB) This substance persistent, bioaccumulating and toxic (P	e is not considered to be
I 2.6 Other adverse effects		

Product:

Additional ecological information : There is no data available for this product.



WM 0713966

Order number: 0712577

Version 8.0	Revision Date 02.03.2022	Print Date 21.07.2022		
SECTION 12: Disposal or	ansiderations			
SECTION 13: Disposal considerations				

13.1 Waste treatment methods

Product	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. In accordance with local and national regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.4 Packing group

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.5 Environmental hazards

ADR Not dangerous goods IMDG Not regulated as a dangerous good IATA Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.



WM	0713966	
----	---------	--

Order number: 0712577

Version 8.0	Revision Date 02.03.2022	Print Date 21.07.2022		
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
Regulation (EC) No 649/	2012 of the European Parliament and : Not appli	icable		

	ouncil concerning the export and import of dangerous icals			
EACH - Restrictions on the manufacture, placing on the arket and use of certain dangerous substances, preparations in darticles (Annex XVII)				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	:	Not applicable		
TA Luft List (Germany)	:	Total dust: Not applicable Inorganic substances in powdered form: Not applicable Inorganic substances in vapour or gaseous form: : portionClass 3: 0,75 % Organic Substances: Not applicable Carcinogenic substances: Not applicable Mutagenic: Not applicable Toxic to reproduction: Not applicable		
Volatile organic compounds (VOC) content	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Not applicable		
according to Detergents Regulation EC 648/2004	:	5 - <15% Anionic surfactants, <5% Amphoteric surfactants, Non-ionic surfactants, SODIUM BENZOATE		

GISBAU (D)

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

: GU 30

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:	H319	Calculation method
---------------------------	------	--------------------

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC -



WM 0713966

Order number: 0712577

Version 8.0

Revision Date 02.03.2022

Print Date 21.07.2022

50000001565

Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.